



HERCULES

VIVERTY E R7	28	ZR	45 cm	585 mm	185 mm	395 mm	621 mm	1140 mm	490 mm	73.0°	69.0°	70 mm	30.0 mm
VIVERTY E R7	28	ZR	50 cm	615 mm	185 mm	425 mm	621 mm	1170 mm	490 mm	73.0°	69.0°	70 mm	30.0 mm
VIVERTY E R7	28	ZR	55 cm	625 mm	185 mm	435 mm	621 mm	1180 mm	490 mm	73.0°	69.0°	70 mm	30.0 mm
VIVERTY E R7	28	ZR	45 cm	585 mm	185 mm	395 mm	621 mm	1140 mm	490 mm	73.0°	69.0°	70 mm	30.0 mm
VIVERTY E R7	28	ZR	50 cm	615 mm	185 mm	425 mm	621 mm	1170 mm	490 mm	73.0°	69.0°	70 mm	30.0 mm
VIVERTY E R7	28	ZR	55 cm	625 mm	185 mm	435 mm	621 mm	1180 mm	490 mm	73.0°	69.0°	70 mm	30.0 mm
VIVERTY E R7	28	ZR	45 cm	585 mm	185 mm	395 mm	621 mm	1140 mm	490 mm	73.0°	69.0°	70 mm	30.0 mm
VIVERTY E R7	28	ZR	50 cm	615 mm	185 mm	425 mm	621 mm	1170 mm	490 mm	73.0°	69.0°	70 mm	30.0 mm
VIVERTY E R7	28	ZR	55 cm	625 mm	185 mm	435 mm	621 mm	1180 mm	490 mm	73.0°	69.0°	70 mm	30.0 mm
VIVERTY E R7	28	ZR	45 cm	585 mm	185 mm	395 mm	621 mm	1140 mm	490 mm	73.0°	69.0°	70 mm	30.0 mm
VIVERTY E R7	28	ZR	50 cm	615 mm	185 mm	425 mm	621 mm	1170 mm	490 mm	73.0°	69.0°	70 mm	30.0 mm
VIVERTY E R7	28	ZR	55 cm	625 mm	185 mm	435 mm	621 mm	1180 mm	490 mm	73.0°	69.0°	70 mm	30.0 mm
MONTFOORT PLUS F8	28	ZR	45 cm	575 mm	160 mm	375 mm	655 mm	1094 mm	467 mm	73.0°	70.0°	70 mm	30.0 mm
MONTFOORT PLUS F8	28	ZR	50 cm	590 mm	175 mm	385 mm	672 mm	1104 mm	467 mm	73.0°	70.5°	70 mm	30.0 mm
MONTFOORT PLUS F8	28	ZR	55 cm	605 mm	185 mm	397 mm	681 mm	1119 mm	467 mm	73.0°	70.5°	70 mm	30.0 mm
MONTFOORT F7	28	ZR	45 cm	575 mm	160 mm	375 mm	655 mm	1094 mm	467 mm	73.0°	70.0°	70 mm	30.0 mm
MONTFOORT F7	28	ZR	50 cm	590 mm	175 mm	385 mm	672 mm	1104 mm	467 mm	73.0°	70.5°	70 mm	30.0 mm
MONTFOORT F7	28	ZR	55 cm	605 mm	185 mm	397 mm	681 mm	1119 mm	467 mm	73.0°	70.5°	70 mm	30.0 mm
MONTFOORT F7	28	ZR	45 cm	575 mm	160 mm	375 mm	655 mm	1094 mm	467 mm	73.0°	70.0°	70 mm	30.0 mm
MONTFOORT F7	28	ZR	50 cm	590 mm	175 mm	385 mm	672 mm	1104 mm	467 mm	73.0°	70.5°	70 mm	30.0 mm
MONTFOORT F7	28	ZR	55 cm	605 mm	185 mm	397 mm	681 mm	1119 mm	467 mm	73.0°	70.5°	70 mm	30.0 mm
MONTFOORT CRUISE F7	28	ZR	45 cm	575 mm	160 mm	375 mm	655 mm	1094 mm	467 mm	73.0°	70.0°	70 mm	30.9 mm
MONTFOORT CRUISE F7	28	ZR	50 cm	590 mm	175 mm	385 mm	672 mm	1104 mm	467 mm	73.0°	70.5°	70 mm	30.9 mm
MONTFOORT CRUISE F7	28	ZR	55 cm	605 mm	185 mm	397 mm	681 mm	1119 mm	467 mm	73.0°	70.5°	70 mm	30.9 mm
E-JOY R7	28	ZR	53 cm	700 mm	185 mm	389 mm	666 mm	1143 mm	492 mm	65.0°	69.5°	70 mm	39.9 mm
E-JOY R7	28	ZR	53 cm	700 mm	185 mm	389 mm	666 mm	1143 mm	492 mm	65.0°	69.5°	70 mm	39.9 mm
E-JOY F7	28	ZR	53 cm	700 mm	185 mm	389 mm	666 mm	1143 mm	492 mm	65.0°	69.5°	70 mm	39.9 mm
E-JOY F7	28	ZR	53 cm	700 mm	185 mm	389 mm	666 mm	1143 mm	492 mm	65.0°	69.5°	70 mm	39.9 mm



HERCULES

ROB FOLD I-F8	20	FA	46 cm	635 mm	310 mm	482 mm	570 mm	1162 mm	452 mm	75.0°	73.0°	25 mm		31.6 mm
ROB FOLD I0	20	FA	46 cm	585 mm	280 mm	423 mm	530 mm	1066 mm	416 mm	73.0°	72.0°	25 mm		27.2 mm
ROB FOLD R8	20	FA	46 cm	585 mm	280 mm	423 mm	530 mm	1064 mm	414 mm	73.0°	72.0°	25 mm		27.2 mm
ROB FOLD R8	20	FA	46 cm	585 mm	280 mm	423 mm	530 mm	1064 mm	414 mm	73.0°	72.0°	25 mm		27.2 mm
ROB FOLD R8	20	FA	46 cm	585 mm	280 mm	423 mm	530 mm	1064 mm	414 mm	73.0°	72.0°	25 mm		27.2 mm
ROB FOLD R8	20	FA	46 cm	585 mm	280 mm	423 mm	530 mm	1064 mm	414 mm	73.0°	72.0°	25 mm		27.2 mm
ROB FOLD F8	20	FA	46 cm	585 mm	280 mm	423 mm	530 mm	1064 mm	414 mm	73.0°	72.0°	25 mm		27.2 mm
ROB FOLD F8	20	FA	46 cm	585 mm	280 mm	423 mm	530 mm	1064 mm	414 mm	73.0°	72.0°	25 mm		27.2 mm
ROB FOLD F8	20	FA	46 cm	585 mm	280 mm	423 mm	530 mm	1064 mm	414 mm	73.0°	72.0°	25 mm		27.2 mm
ROB FOLD F8	20	FA	46 cm	585 mm	280 mm	423 mm	530 mm	1064 mm	414 mm	73.0°	72.0°	25 mm		27.2 mm
ROB FOLD R7	20	FA	46 cm	585 mm	280 mm	423 mm	530 mm	1064 mm	414 mm	73.0°	72.0°	25 mm		27.2 mm
ROB FOLD F7	20	FA	46 cm	585 mm	280 mm	423 mm	530 mm	1064 mm	414 mm	73.0°	72.0°	25 mm		27.2 mm
FUTURA COMPACT R8	20	ZR	46 cm	585 mm	280 mm	423 mm	530 mm	1064 mm	414 mm	73.0°	72.0°	25 mm		27.2 mm
FUTURA COMPACT R8	24	ZR	46 cm	610 mm	280 mm	420 mm	623 mm	1144 mm	485 mm	73.0°	72.0°	30 mm		27.2 mm
FUTURA COMPACT R8	20	ZR	46 cm	585 mm	280 mm	423 mm	530 mm	1064 mm	414 mm	73.0°	72.0°	25 mm		27.2 mm
FUTURA COMPACT R8	24	ZR	46 cm	610 mm	280 mm	420 mm	623 mm	1144 mm	485 mm	73.0°	72.0°	30 mm		27.2 mm
FUTURA COMPACT F8	20	ZR	46 cm	585 mm	280 mm	423 mm	530 mm	1064 mm	414 mm	73.0°	72.0°	25 mm		27.2 mm
FUTURA COMPACT F8	24	ZR	46 cm	610 mm	280 mm	420 mm	623 mm	1144 mm	485 mm	73.0°	72.0°	30 mm		27.2 mm
FUTURA COMPACT F8	20	ZR	46 cm	585 mm	280 mm	423 mm	530 mm	1064 mm	414 mm	73.0°	72.0°	25 mm		27.2 mm
FUTURA COMPACT F8	24	ZR	46 cm	610 mm	280 mm	420 mm	623 mm	1144 mm	485 mm	73.0°	72.0°	30 mm		27.2 mm
FUTURA COMPACT 8	24	ZR	46 cm	610 mm	280 mm	420 mm	623 mm	1144 mm	485 mm	73.0°	72.0°	30 mm		27.2 mm
FUTURA COMPACT 8	24	ZR	46 cm	610 mm	280 mm	420 mm	623 mm	1144 mm	485 mm	73.0°	72.0°	30 mm		27.2 mm



HERCULES

TOURER 21	28	ZR	46 cm	590 mm	160 mm	380 mm	627 mm	1109 mm	478 mm	73.0°	71.0°	60 mm	27.2 mm
TOURER 21	28	ZR	51 cm	600 mm	174 mm	386 mm	640 mm	1119 mm	478 mm	73.0°	71.0°	60 mm	27.2 mm
TOURER 21	28	TR	46 cm	575 mm	120 mm	393 mm	594 mm	1073 mm	452 mm	73.0°	71.0°	60 mm	27.2 mm
TOURER 21	28	TR	51 cm	588 mm	137 mm	402 mm	610 mm	1086 mm	452 mm	73.0°	71.0°	60 mm	27.2 mm
TOURER 21	28	TR	56 cm	600 mm	155 mm	408 mm	627 mm	1099 mm	452 mm	73.0°	71.0°	60 mm	27.2 mm
TOURER 21	28	ZR	46 cm	590 mm	160 mm	380 mm	627 mm	1109 mm	478 mm	73.0°	71.0°	60 mm	27.2 mm
TOURER 21	28	ZR	51 cm	600 mm	174 mm	386 mm	640 mm	1119 mm	478 mm	73.0°	71.0°	60 mm	27.2 mm
VALENCIA LITE R7	26	ZR	43 cm	590 mm	175 mm	404 mm	573 mm	1047 mm	430 mm	72.0°	72.0°	40 mm	27.2 mm
VALENCIA LITE R7	28	ZR	46 cm	590 mm	160 mm	392 mm	592 mm	1108 mm	478 mm	71.5°	70.0°	60 mm	27.2 mm
VALENCIA LITE R7	28	ZR	51 cm	600 mm	174 mm	398 mm	606 mm	1118 mm	478 mm	71.5°	70.0°	60 mm	27.2 mm
VALENCIA LITE R7	28	ZR	56 cm	618 mm	190 mm	410 mm	621 mm	1137 mm	478 mm	71.5°	70.0°	60 mm	27.2 mm
VALENCIA LITE 21	26	ZR	43 cm	590 mm	175 mm	404 mm	573 mm	1047 mm	430 mm	72.0°	72.0°	40 mm	27.2 mm
VALENCIA LITE 21	28	ZR	46 cm	590 mm	160 mm	392 mm	592 mm	1108 mm	478 mm	71.5°	70.0°	60 mm	27.2 mm
VALENCIA LITE 21	28	ZR	51 cm	600 mm	174 mm	398 mm	606 mm	1118 mm	478 mm	71.5°	70.0°	60 mm	27.2 mm
VALENCIA LITE 21	28	ZR	56 cm	618 mm	190 mm	410 mm	621 mm	1137 mm	478 mm	71.5°	70.0°	60 mm	27.2 mm
VALENCIA R7	28	HE	46 cm	575 mm	120 mm	393 mm	594 mm	1073 mm	452 mm	73.0°	71.0°	60 mm	27.2 mm
VALENCIA R7	28	HE	51 cm	588 mm	137 mm	402 mm	610 mm	1086 mm	452 mm	73.0°	71.0°	60 mm	27.2 mm
VALENCIA R7	28	HE	56 cm	600 mm	155 mm	408 mm	627 mm	1099 mm	452 mm	73.0°	71.0°	60 mm	27.2 mm
VALENCIA R7	28	HE	60 cm	616 mm	174 mm	419 mm	645 mm	1116 mm	452 mm	73.0°	71.0°	60 mm	27.2 mm
VALENCIA R7	28	TR	46 cm	575 mm	120 mm	393 mm	594 mm	1073 mm	452 mm	73.0°	71.0°	60 mm	27.2 mm
VALENCIA R7	28	TR	51 cm	588 mm	137 mm	402 mm	610 mm	1086 mm	452 mm	73.0°	71.0°	60 mm	27.2 mm
VALENCIA R7	28	TR	56 cm	600 mm	155 mm	408 mm	627 mm	1099 mm	452 mm	73.0°	71.0°	60 mm	27.2 mm
VALENCIA R7	28	TR	43 cm	590 mm	175 mm	396 mm	596 mm	1047 mm	430 mm	72.0°	71.0°	40 mm	27.2 mm
VALENCIA R7	28	ZR	46 cm	590 mm	160 mm	380 mm	627 mm	1109 mm	478 mm	71.5°	70.0°	60 mm	27.2 mm
VALENCIA R7	28	ZR	51 cm	600 mm	174 mm	386 mm	640 mm	1119 mm	478 mm	71.5°	70.0°	60 mm	27.2 mm
VALENCIA R7	28	ZR	56 cm	618 mm	190 mm	399 mm	655 mm	1138 mm	478 mm	71.5°	70.0°	60 mm	27.2 mm
VALENCIA R7	28	TR	46 cm	575 mm	120 mm	393 mm	594 mm	1073 mm	452 mm	73.0°	71.0°	60 mm	27.2 mm
VALENCIA R7	28	TR	51 cm	588 mm	137 mm	402 mm	610 mm	1086 mm	452 mm	73.0°	71.0°	60 mm	27.2 mm
VALENCIA R7	28	TR	56 cm	600 mm	155 mm	408 mm	627 mm	1099 mm	452 mm	73.0°	71.0°	60 mm	27.2 mm
VALENCIA R7	26	ZR	43 cm	590 mm	175 mm	396 mm	596 mm	1047 mm	430 mm	72.0°	72.0°	40 mm	27.2 mm
VALENCIA R7	28	ZR	46 cm	590 mm	160 mm	380 mm	627 mm	1109 mm	478 mm	71.5°	70.0°	60 mm	27.2 mm
VALENCIA R7	28	ZR	51 cm	600 mm	174 mm	386 mm	640 mm	1119 mm	478 mm	71.5°	70.0°	60 mm	27.2 mm
VALENCIA R7	28	ZR	56 cm	618 mm	190 mm	399 mm	655 mm	1138 mm	478 mm	71.5°	70.0°	60 mm	27.2 mm
UNO R7 LTD.	26	WA	43 cm	613 mm	200 mm	374 mm	634 mm	1074 mm	449 mm	72.0°	70.0°	59 mm	30.0 mm
UNO R7 LTD.	28	WA	43 cm	613 mm	185 mm	410 mm	999 mm	1145 mm	487 mm	73.0°	70.0°	87 mm	30.0 mm
UNO R7 LTD.	28	WA	48 cm	650 mm	185 mm	410 mm	999 mm	1145 mm	487 mm	69.0°	70.0°	87 mm	30.0 mm
UNO R7 LTD.	28	WA	53 cm	650 mm	185 mm	410 mm	999 mm	1145 mm	487 mm	69.0°	70.0°	87 mm	30.0 mm
UNO R7 LTD.	28	WA	57 cm	650 mm	185 mm	410 mm	999 mm	1145 mm	487 mm	69.0°	70.0°	87 mm	30.0 mm
UNO R7	26	WA	43 cm	613 mm	200 mm	374 mm	634 mm	1066 mm	441 mm	69.0°	70.0°	59 mm	30.0 mm
UNO R7	28	WA	43 cm	613 mm	185 mm	410 mm	999 mm	1138 mm	480 mm	73.0°	70.0°	87 mm	30.0 mm
UNO R7	28	WA	48 cm	650 mm	185 mm	410 mm	999 mm	1138 mm	480 mm	69.0°	70.0°	87 mm	30.0 mm
UNO R7	28	WA	53 cm	650 mm	185 mm	410 mm	999 mm	1138 mm	480 mm	69.0°	70.0°	87 mm	30.0 mm
UNO R7	28	WA	57 cm	650 mm	185 mm	410 mm	999 mm	1138 mm	480 mm	69.0°	70.0°	87 mm	30.0 mm
UNO R7	26	WA	43 cm	613 mm	200 mm	374 mm	634 mm	1066 mm	441 mm	69.0°	70.0°	59 mm	30.0 mm
UNO R7	28	WA	43 cm	613 mm	185 mm	410 mm	999 mm	1138 mm	480 mm	73.0°	70.0°	87 mm	30.0 mm
UNO R7	28	WA	48 cm	650 mm	185 mm	410 mm	999 mm	1138 mm	480 mm	69.0°	70.0°	87 mm	30.0 mm
UNO R7	28	WA	53 cm	650 mm	185 mm	410 mm	999 mm	1138 mm	480 mm	69.0°	70.0°	87 mm	30.0 mm
UNO R7	28	WA	57 cm	650 mm	185 mm	410 mm	999 mm	1138 mm	480 mm	69.0°	70.0°	87 mm	30.0 mm
VIVERTY R7 LTD.	28	RE	45 cm	621 mm	180 mm	390 mm	602 mm	1142 mm	480 mm	67.0°	69.0°	65 mm	27.2 mm
VIVERTY R7 LTD.	28	RE	50 cm	621 mm	180 mm	390 mm	602 mm	1142 mm	480 mm	67.0°	69.0°	65 mm	27.2 mm
VIVERTY R7 LTD.	28	RE	55 cm	621 mm	180 mm	390 mm	602 mm	1142 mm	480 mm	67.0°	69.0°	65 mm	27.2 mm
VIVERTY R7	28	RE	45 cm	621 mm	180 mm	390 mm	602 mm	1142 mm	480 mm	67.0°	69.0°	65 mm	27.2 mm
VIVERTY R7	28	RE	50 cm	621 mm	180 mm	390 mm	602 mm	1142 mm	480 mm	67.0°	69.0°	65 mm	27.2 mm
VIVERTY R7	28	RE	55 cm	621 mm	180 mm	390 mm	602 mm	1142 mm	480 mm	67.0°	69.0°	65 mm	27.2 mm
VIVERTY R7	28	RE	45 cm	621 mm	180 mm	390 mm	602 mm	1142 mm	480 mm	67.0°	69.0°	65 mm	27.2 mm
VIVERTY R7	28	RE	50 cm	621 mm	180 mm	390 mm	602 mm	1142 mm	480 mm	67.0°	69.0°	65 mm	27.2 mm
VIVERTY R7	28	RE	55 cm	621 mm	180 mm	390 mm	602 mm	1142 mm	480 mm	67.0°	69.0°	65 mm	27.2 mm
CARGO CITY	26	ZR	48 cm	594 mm	160 mm			1067 mm	465 mm	70.0°	69.0°	55 mm	28.6 mm
CARGO CITY	26	ZR	48 cm	594 mm	160 mm			1067 mm	465 mm	70.0°	69.0°	55 mm	28.6 mm
VERSA R7 BELT	20	UNI	29 cm	570 mm	100 mm	421 mm	352 mm	980 mm	388 mm	73.0°	72.0°	31 mm	29.4 mm
VERSA F7 BELT	20	UNI	29 cm	570 mm	100 mm	421 mm	352 mm	980 mm	388 mm	73.0°	72.0°	31 mm	29.4 mm
VERSA R3 BELT	20	UNI	29 cm	570 mm	100 mm	421 mm	358 mm	989 mm	397 mm	73.0°	72.0°	31 mm	29.4 mm
VERSA R7	20	UNI	29 cm	570 mm	100 mm	421 mm	352 mm	980 mm	388 mm	73.0°	72.0°	31 mm	29.4 mm
VERSA R7	20	ZR	29 cm	620 mm	105 mm	472 mm	363 mm	1044 mm	400 mm	73.0°	72.0°	25 mm	29.4 mm
VERSA R3	20	UNI	29 cm	570 mm	100 mm	421 mm	358 mm	989 mm	397 mm	73.0°	72.0°	31 mm	29.4 mm
VERSA R3	20	ZR	29 cm	620 mm	105 mm	472 mm	363 mm	1041 mm	397 mm	73.0°	72.0°	25 mm	29.4 mm
VERSA 7	20	UNI	29 cm	570 mm	100 mm	422 mm	353 mm	980 mm	388 mm	73.0°	72.0°	31 mm	29.4 mm
CROSS SPORT	29	CROSS	41 cm	585 mm	100 mm	404 mm	611 mm	1107 mm	455 mm	73.5°	69.5°	65 mm	31.6 mm



HERCULES

CROSS SPORT	29	CROSS	46 cm	605 mm	100 mm	419 mm	608 mm	1118 mm	455 mm	73.0°	70.0°	60 mm	31.6 mm
CROSS SPORT	29	CROSS	51 cm	625 mm	120 mm	427 mm	629 mm	1132 mm	460 mm	72.5°	70.5°	60 mm	31.6 mm
CROSS SPORT	29	CROSS	56 cm	645 mm	145 mm	434 mm	648 mm	1149 mm	460 mm	72.0°	70.5°	55 mm	31.6 mm
SPYDER DISC 24	27	HE	38 cm	560 mm	120 mm	375 mm	604 mm	1064 mm	440 mm	73.0°	70.0°	40 mm	27.2 mm
SPYDER DISC 24	27	HE	43 cm	560 mm	120 mm	375 mm	604 mm	1064 mm	440 mm	73.0°	70.0°	40 mm	27.2 mm
SPYDER DISC 24	27	HE	48 cm	580 mm	120 mm	395 mm	604 mm	1084 mm	440 mm	73.0°	70.0°	40 mm	27.2 mm
SPYDER DISC 24	27	HE	52 cm	600 mm	145 mm	408 mm	627 mm	1105 mm	440 mm	73.0°	70.0°	40 mm	27.2 mm
SPYDER DISC 24	27	TR	38 cm	560 mm	120 mm	375 mm	604 mm	1064 mm	440 mm	73.0°	70.0°	40 mm	27.2 mm
SPYDER DISC 24	27	TR	43 cm	560 mm	120 mm	375 mm	604 mm	1064 mm	440 mm	73.0°	70.0°	40 mm	27.2 mm
SPYDER DISC 24	27	HE	38 cm	560 mm	120 mm	375 mm	604 mm	1064 mm	440 mm	73.0°	70.0°	40 mm	27.2 mm
SPYDER DISC 24	27	HE	43 cm	560 mm	120 mm	375 mm	604 mm	1064 mm	440 mm	73.0°	70.0°	40 mm	27.2 mm
SPYDER DISC 24	27	HE	48 cm	580 mm	120 mm	395 mm	604 mm	1084 mm	440 mm	73.0°	70.0°	40 mm	27.2 mm
SPYDER DISC 24	27	HE	52 cm	600 mm	145 mm	408 mm	627 mm	1105 mm	440 mm	73.0°	70.0°	40 mm	27.2 mm
SPYDER DISC 24	27	TR	38 cm	560 mm	120 mm	375 mm	604 mm	1064 mm	440 mm	73.0°	70.0°	40 mm	27.2 mm
SPYDER DISC 24	27	TR	43 cm	560 mm	120 mm	375 mm	604 mm	1064 mm	440 mm	73.0°	70.0°	40 mm	27.2 mm
SPYDER 21	24	HE	34 cm	553 mm	110 mm	375 mm	517 mm	996 mm	410 mm	71.0°	71.0°	30 mm	27.2 mm
SPYDER 21	26	HE	38 cm	569 mm	110 mm	376 mm	560 mm	1032 mm	432 mm	71.0°	71.0°	35 mm	27.2 mm
SPYDER 21	26	HE	43 cm	569 mm	110 mm	376 mm	560 mm	1032 mm	432 mm	71.0°	71.0°	35 mm	27.2 mm
SPYDER 21	26	HE	48 cm	580 mm	120 mm	384 mm	570 mm	1043 mm	432 mm	71.0°	71.0°	35 mm	27.2 mm
SPYDER 21	24	TR	34 cm	553 mm	110 mm	375 mm	517 mm	996 mm	410 mm	71.0°	71.0°	30 mm	27.2 mm
SPYDER 21	26	TR	38 cm	569 mm	110 mm	376 mm	560 mm	1032 mm	432 mm	71.0°	71.0°	35 mm	27.2 mm
SPYDER 21	26	TR	43 cm	569 mm	110 mm	376 mm	560 mm	1032 mm	432 mm	71.0°	71.0°	35 mm	27.2 mm
SPYDER 21	26	TR	48 cm	580 mm	120 mm	384 mm	570 mm	1043 mm	432 mm	71.0°	71.0°	35 mm	27.2 mm
SPYDER 21	24	HE	34 cm	553 mm	110 mm	375 mm	517 mm	996 mm	410 mm	71.0°	71.0°	30 mm	27.2 mm
SPYDER 21	26	HE	38 cm	569 mm	110 mm	376 mm	560 mm	1032 mm	432 mm	71.0°	71.0°	35 mm	27.2 mm
SPYDER 21	26	HE	43 cm	569 mm	110 mm	376 mm	560 mm	1032 mm	432 mm	71.0°	71.0°	35 mm	27.2 mm
SPYDER 21	26	HE	48 cm	580 mm	120 mm	384 mm	570 mm	1043 mm	432 mm	71.0°	71.0°	35 mm	27.2 mm
SPYDER 21	24	TR	34 cm	553 mm	110 mm	375 mm	517 mm	996 mm	410 mm	71.0°	71.0°	30 mm	27.2 mm
SPYDER 21	26	TR	38 cm	569 mm	110 mm	376 mm	560 mm	1032 mm	432 mm	71.0°	71.0°	35 mm	27.2 mm
SPYDER 21	26	TR	43 cm	569 mm	110 mm	376 mm	560 mm	1032 mm	432 mm	71.0°	71.0°	35 mm	27.2 mm
SPYDER 21	26	TR	48 cm	580 mm	120 mm	384 mm	570 mm	1043 mm	432 mm	71.0°	71.0°	35 mm	27.2 mm
SPYDER 21	24	TR	34 cm	553 mm	110 mm	375 mm	517 mm	996 mm	410 mm	71.0°	71.0°	30 mm	27.2 mm
SPYDER 21	26	TR	38 cm	569 mm	110 mm	376 mm	560 mm	1032 mm	432 mm	71.0°	71.0°	35 mm	27.2 mm
SPYDER 21	26	TR	43 cm	569 mm	110 mm	376 mm	560 mm	1032 mm	432 mm	71.0°	71.0°	35 mm	27.2 mm
SPYDER 21	26	TR	48 cm	580 mm	120 mm	384 mm	570 mm	1043 mm	432 mm	71.0°	71.0°	35 mm	27.2 mm
ROBO R3	20	Y-TYPE	29 cm	457 mm	110 mm	315 mm	413 mm	855 mm	360 mm	71.0°	70.0°	20 mm	27.2 mm
ROBO R3	24	Y-TYPE	34 cm	519 mm	110 mm	354 mm	479 mm	977 mm	423 mm	71.0°	70.0°	30 mm	27.2 mm
PIPPA R7	24	TR	34 cm	519 mm	110 mm	354 mm	479 mm	969 mm	415 mm	71.0°	70.0°	30 mm	27.2 mm
PIPPA R7	26	TR	38 cm	569 mm	110 mm	397 mm	500 mm	1042 mm	430 mm	71.0°	70.0°	35 mm	27.2 mm
PIPPA R7	24	ZR	34 cm	519 mm	120 mm	351 mm	489 mm	969 mm	415 mm	71.0°	70.0°	30 mm	27.2 mm
PIPPA R7	26	ZR	38 cm	569 mm	120 mm	393 mm	509 mm	1042 mm	430 mm	71.0°	70.0°	35 mm	27.2 mm
PIPPA R7	24	TR	34 cm	519 mm	110 mm	354 mm	479 mm	969 mm	415 mm	71.0°	70.0°	30 mm	27.2 mm
PIPPA R7	26	TR	38 cm	569 mm	110 mm	397 mm	500 mm	1042 mm	430 mm	71.0°	70.0°	35 mm	27.2 mm
PIPPA R7	24	ZR	34 cm	519 mm	120 mm	351 mm	489 mm	969 mm	415 mm	71.0°	70.0°	30 mm	27.2 mm
PIPPA R7	26	ZR	38 cm	569 mm	120 mm	393 mm	509 mm	1042 mm	430 mm	71.0°	70.0°	35 mm	27.2 mm
PIPPA R3	24	TR	34 cm	519 mm	110 mm	354 mm	479 mm	977 mm	423 mm	71.0°	70.0°	30 mm	27.2 mm
PIPPA R3	20	ZR	29 cm	457 mm	120 mm	312 mm	422 mm	855 mm	360 mm	71.0°	70.0°	20 mm	27.2 mm
PIPPA R3	24	ZR	34 cm	519 mm	120 mm	351 mm	489 mm	977 mm	423 mm	71.0°	70.0°	30 mm	27.2 mm
PIPPA R3	24	TR	34 cm	519 mm	110 mm	354 mm	479 mm	977 mm	423 mm	71.0°	70.0°	30 mm	27.2 mm
PIPPA R3	20	ZR	29 cm	457 mm	120 mm	312 mm	422 mm	855 mm	360 mm	71.0°	70.0°	20 mm	27.2 mm
PIPPA R3	24	ZR	34 cm	519 mm	120 mm	351 mm	489 mm	977 mm	423 mm	71.0°	70.0°	30 mm	27.2 mm